




# RADIUSED BAR GRILLES

- WALL MOUNTED • CONCAVE or CONVEX
- FLANGED FRAME • SINGLE SECTION


## FRAME STYLES

### Straight Frame

Style S - 1/8" or 1/4" x 1-1/2" Bar  
(Frame width matches core bar width)



### Flanged Frame Style FF



\* 1/2", 3/4", 1-1/2" or Other Flange Widths Also Available.  
\*\*\* 4" with Optional O.B.D.

## CORE STYLES

Core Styles


### 0 DEGREE DEFLECTION

1300-25\* Bars 1/4" O.C.

1300-38\* Bars 3/8" O.C.

1300-50\* Bars 1/2" O.C.

1900-44\*\* Bars 7/16" O.C.



Support Bars 8" O.C.

\* 1/8" x 1/2" Bars.  
\*\* 3/16" x 3/4" Bars.

Core Styles

### 15 DEGREE DEFLECTION

1315F-25\* Bars 1/4" O.C.

1315F-38\* Bars 3/8" O.C.

1315F-50\* Bars 1/2" O.C.

Available in aluminum construction only.




Support Bars 8" O.C.

Core Style

### 0 DEGREE DEFLECTION


2500-50 Bars 1/2" O.C.




1/4" x 1/2" Support Bars.  
12" O.C.

NOTE: Contact the factory for limitations on radius of curvature.

## CONVEX



## CONCAVE




## OPTIONS

### COUNTERSUNK SCREW HOLES / OPPOSED BLADE DAMPER

#### Mounting Option A

Countersunk Screw Holes




Optional Opposed Blade Damper

### OPPOSED BLADE DAMPER WITH FASTENING LUGS / DUCT BRACKETS

#### Mounting Option G

Fastening Lugs




Optional Opposed Blade Damper

### FASTENING LUGS / DUCT BRACKETS

#### Mounting Option G

Fastening Lugs



Mounting Option X Duct Brackets

Qty.	Listed Size		Wall Radius R	Curvature		Depth D	Core Style	Core Bar Centers	Frame Style	Sup. Bar Spacing	Material	Mtg. Option	Finish	Damper	Tag
	L	W		Convex	Concave										

To maintain KEES' policy of continuous product development, we reserve the right to change prices, specifications, ratings and dimensions without notice or obligation.

Project					Location					
Engineer					Dwg. No.	SD-BGC				
Architect					Date	04/15				
Contractor										


**KEES INCORPORATED**  
400 S. Industrial Dr.  
Elkhart Lake, WI 53020  
Phone: (920) 876-3391  
Fax: (920) 876-3065  
Website: www.kees.com



# RADIUSED BAR GRILLES


• FLAT MOUNTED • FLANGED or STRAIGHT FRAME

## CORE STYLES



NOTE: Contact the factory for limitations on radius of curvature.


## FRAME STYLES




\* 1/2", 3/4", 1-1/2" or Other Flange Widths Also Available.

## OPTIONS



### COUNTERSUNK SCREW HOLES



### FASTENING LUGS / LOOSE ANGLE FRAME WITH MOUNTING LUGS



## F FRAME STYLE



Qty.	Listed Size		R	Core Depth D	# Sect.	Core Style	Core Bar Centers	Frame Style	Sup. Bar Spacing	Material	Mtg. Option	Finish	Tag
	L	W											

To maintain KEES' policy of continuous product development, we reserve the right to change prices, specifications, ratings and dimensions without notice or obligation.

Project					Location			
Engineer					Dwg. No.	SD-BGC FLAT		
Architect					Date	04/15		
Contractor								



**KEES INCORPORATED**  
 400 S. Industrial Dr.  
 Elkhart Lake, WI 53020  
 Phone: (920) 876-3391  
 Fax: (920) 876-3065  
 Website: www.kees.com