


PATTERN GO053 ARCHITECTURAL STAMPED GRILLE



PATTERN GO053

17/32" GOTHIC

58% OPEN


| NO. OF HOLES | W or H INCHES | NO. OF HOLES | W or H INCHES | NO. OF HOLES | W or H INCHES | NO. OF HOLES | W or H INCHES | NO. OF HOLES | W or H INCHES |
|--------------|---------------|--------------|---------------|--------------|---------------|--------------|---------------|--------------|---------------|
| 1 | 0.707 | 11 | 7.777 | 21 | 14.847 | 31 | 21.917 | 41 | 28.987 |
| 2 | 1.414 | 12 | 8.484 | 22 | 15.554 | 32 | 22.624 | 42 | 29.694 |
| 3 | 2.121 | 13 | 9.191 | 23 | 16.261 | 33 | 23.331 | 43 | 30.401 |
| 4 | 2.828 | 14 | 9.898 | 24 | 16.968 | 34 | 24.038 | 44 | 31.108 |
| 5 | 3.535 | 15 | 10.605 | 25 | 17.675 | 35 | 24.745 | 45 | 31.815 |
| 6 | 4.242 | 16 | 11.312 | 26 | 18.382 | 36 | 25.452 | 46 | 32.522 |
| 7 | 4.949 | 17 | 12.019 | 27 | 19.089 | 37 | 26.159 | 47 | 33.229 |
| 8 | 5.656 | 18 | 12.726 | 28 | 19.796 | 38 | 26.866 | 48 | 33.936 |
| 9 | 6.363 | 19 | 13.433 | 29 | 20.503 | 39 | 27.573 | 49 | 34.643 |
| 10 | 7.070 | 20 | 14.140 | 30 | 21.210 | 40 | 28.280 | 50 | 35.350 |

| Qty. | O.D. Size W x H | Duct Size W x H | Pattern Size W x H | No. of Patterns W x H | Material | Thickness |
|------|-----------------|-----------------|--------------------|-----------------------|----------|-----------|
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |

| Minimum Flange Allowed "F" | Actual "F" | | Mounting Holes | | | | Mounting Option | Finish | O.B.D. | Tag |
|----------------------------|------------|----|----------------|---|-----------|--|-----------------|--------|--------|-----|
| | FW | FH | A & B | C | No. Holes | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |

SCREW SIZE: #8 x 1", #10 x 1-1/2", Other _____
HEAD STYLE: Flat Head Phillips Flat Head Slotted Pan Head Phillips Other _____
SCREW MATERIAL: Steel Stainless Brass Bronze **SCREW FINISH:** Mill Mill, Lacquered As Grille Painted Mill, Oxidized & Lacquered

NOTE: Corner of holes may have a small radii as required for manufacturing.
 To maintain KEES' policy of continuous product improvement, we reserve the right to change prices, specifications, ratings or dimensions without notice or obligation.

| | | | | | |
|-------------------|--|--|--------------------------|-------------------|--|
| Project | | | Location | | |
| Engineer | | | Dwg. No. SD-GO053 | Date 04/09 |  KEES INCORPORATED 400 S. Industrial Dr. Elkhart Lake, WI 53020 Phone: (920) 876-3391 Fax: (920) 876-3065 Website: www.kees.com |
| Architect | | | | | |
| Contractor | | | | | |

PATTERN GO053

17/32" GOTHIC

58% OPEN

| NO. OF HOLES | W or H INCHES | NO. OF HOLES | W or H INCHES | NO. OF HOLES | W or H INCHES | NO. OF HOLES | W or H INCHES | NO. OF HOLES | W or H INCHES |
|--------------|---------------|--------------|---------------|--------------|---------------|--------------|---------------|--------------|---------------|
| 51 | 36.057 | 76 | 53.732 | 101 | 71.407 | 126 | 89.082 | 151 | 106.757 |
| 52 | 36.764 | 77 | 54.439 | 102 | 72.114 | 127 | 89.789 | 152 | 107.464 |
| 53 | 37.471 | 78 | 55.146 | 103 | 72.821 | 128 | 90.496 | 153 | 108.171 |
| 54 | 38.178 | 79 | 55.853 | 104 | 73.528 | 129 | 91.203 | 154 | 108.878 |
| 55 | 38.885 | 80 | 56.560 | 105 | 74.235 | 130 | 91.910 | 155 | 109.585 |
| 56 | 39.592 | 81 | 57.267 | 106 | 74.942 | 131 | 92.617 | 156 | 110.292 |
| 57 | 40.299 | 82 | 57.974 | 107 | 75.649 | 132 | 93.324 | 157 | 110.999 |
| 58 | 41.006 | 83 | 58.681 | 108 | 76.356 | 133 | 94.031 | 158 | 111.706 |
| 59 | 41.713 | 84 | 59.388 | 109 | 77.063 | 134 | 94.738 | 159 | 112.413 |
| 60 | 42.420 | 85 | 60.095 | 110 | 77.770 | 135 | 95.445 | 160 | 113.120 |
| 61 | 43.127 | 86 | 60.802 | 111 | 78.477 | 136 | 96.152 | 161 | 113.827 |
| 62 | 43.834 | 87 | 61.509 | 112 | 79.184 | 137 | 96.859 | 162 | 114.534 |
| 63 | 44.541 | 88 | 62.216 | 113 | 79.891 | 138 | 97.566 | 163 | 115.241 |
| 64 | 45.248 | 89 | 62.923 | 114 | 80.598 | 139 | 98.273 | 164 | 115.948 |
| 65 | 45.955 | 90 | 63.630 | 115 | 81.305 | 140 | 98.980 | 165 | 116.655 |
| 66 | 46.662 | 91 | 64.337 | 116 | 82.012 | 141 | 99.687 | 166 | 117.362 |
| 67 | 47.369 | 92 | 65.044 | 117 | 82.719 | 142 | 100.394 | 167 | 118.069 |
| 68 | 48.076 | 93 | 65.751 | 118 | 83.426 | 143 | 101.101 | 168 | 118.776 |
| 69 | 48.783 | 94 | 66.458 | 119 | 84.133 | 144 | 101.808 | 169 | 119.483 |
| 70 | 49.490 | 95 | 67.165 | 120 | 84.840 | 145 | 102.515 | | |
| 71 | 50.197 | 96 | 67.872 | 121 | 85.547 | 146 | 103.222 | | |
| 72 | 50.904 | 97 | 68.579 | 122 | 86.254 | 147 | 103.929 | | |
| 73 | 51.611 | 98 | 69.286 | 123 | 86.961 | 148 | 104.636 | | |
| 74 | 52.318 | 99 | 69.993 | 124 | 87.668 | 149 | 105.343 | | |
| 75 | 53.025 | 100 | 70.700 | 125 | 88.375 | 150 | 106.050 | | |




KEES INCORPORATED
 400 S. Industrial Dr.
 Elkhart Lake, WI 53020

Phone: (920) 876-3391
 Fax: (920) 876-3065
 Website: www.kees.com

DECORATIVE STAMPED GRILLE HOLE PATTERN

**PATTERN GO053 - GOTHIC
FULL SCALE**



KEES INCORPORATED
400 S. Industrial Dr.
Elkhart Lake, WI 53020

Phone: (920) 876-3391
Fax: (920) 876-3065
Website: www.kees.com